

File No.

T. 28N R. 56E

DUPLICATE

County Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 30 1963


STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. John Damm, of Culbertson
(Name of Appropriator) (Address) (Town)

County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



#1: NW/4SE/4 Sect. 20-T28N-56E
#2: NE 1/4 NW/4 Sec. 18 T. 28N R. 56E.

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based.
live-stock water
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. #1: March 1957
#2: 1947
4. The amount of groundwater claimed (in miner's inches or gallons per minute) #1: 10 Gals per minute
#2: 5 Gals per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.
none used for irrigation yet
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal #1: pump with casing;
#2: Natural spring.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. #1: March 1957 both started & completed;
#2: No construction
8. The depth of water table. #1: 56' #2: ?
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. #1: 24" curbing with 1 1/4" withdrawal pipe.
10. The estimated amount of groundwater withdrawn each year. #1: 1,000,000 gals.
#2: 2,600,000 gals.
11. The log of formations encountered in the drilling of each well if available.
#1: none available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner

Date

John Damm
12-31-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

15756

File No. 468 Doc. No. 220232

DECLARATION VESTED GROUNDWATER RIGHTS

John Dann

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 30th day of
December, A.D. 1963
at 8:00 o'clock A.M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown Deputy

Fee \$2.00 pd.
Calbertson State Bank
Calbertson, Montana

Received from _____

File No. _____

T. 28 N. R. 56E

DUPLICATE

County. Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 30 1963

STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1. Alvin G. Cooper, of Culbertson
(Name of Appropriator) (Address) (Town)
County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 20 T. 28 R. 56

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based.
Livestock and Household
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1910 Homesteaded in use to present day
4. The amount of groundwater claimed (in miner's inches or gallons per minute). 3 gal per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.
None
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
Two are natural running springs and one a dug well with pump and motor
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater.
Dates and time of completion are unknown to present owner
8. The depth of water table. It is 10 feet to water in the springs and well is 65 feet deep
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. Drilled well 65 feet deep 24 inch hole springs are hand dug 24 inch hole with steel culvert and gravel pack 10 feet in depth with gravity flow
10. The estimated amount of groundwater withdrawn each year. 800,000 Gsl.
11. The log of formations encountered in the drilling of each well if available. Not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. None

Signature of Owner.

Date 12-27-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

157 48

460

DECLARATION OF VESTED GROUNDWATER RIGHTS

Alvin G. Cooper

to

220274

The Public

State of Montana
County of Rosebud

Filed this 30th

December

8:00

A. D. 19

A.

Eleanor A. Schmeltzer

County Recorder.

Margaret M. Brown

Deputy.

Fee \$2.00 pd.

Alvin G. Cooper
Culbertson, Montana

20 28 26

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

RECEIVED

NOV 4 1971

NOTICE OF COMPLETION OF GROUNDWATER
APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

Owner Albert Anderson

Address Cullerton

Mont

Date well started Sept 18-71

completed Sept 20-71

Type of well drilled

Equipment used rotary

Water Use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐


Industrial ☐ Drainage ☐ Other ☐ Garden/Lawn ☐

*Describe

USE: If used for Irrigation, Industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).

ESTIMATED ANNUAL WITHDRAWAL 100,000

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS
5 3/4 to 90 ft	4 inch 1 D	0	100	Kind Size From (Feet) To (Feet)
4 3/4 to 100	11 lb.			3 1/2 75 100



N 8 1/4 Sec. 22
T. 28 N. R. 5 E

Static water level 5.5 ft.*
Pumping water level 7.2 ft.*
at 4.5 gallons per minute,
measured 3.0 minutes after pumping
began.

*Measured from ground level.
Well developed by Bitum
for 1.5 hours.
Power Electric Pump 1/2 HP
Remarks: (Gravel packing, cementing,
packers, type of shutoff)

INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.
EACH SMALL SQUARE REPRESENTS 40 ACRES.

Driller's Signature Albert Anderson

Driller's Address Medicine Lake

Mont LICENSE NO. 106

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Top of Ground (Elev. above sea level)		
From (Feet)	To (Feet)	
0	10	Clay
10	15	Shale
15	55	Thin Clay
55	65	Blue Clay 3 GPM
65	75	Dark Water
75	81.5	Clay
81.5	86	Clay
86	95	Clay
95	100	Dark Water 4 GPM

Show exact depth of bottom

49315

INDEXED

File No. 701 Doc. No. 248259

**NOTICE OF COMPLETION OF GROUND-
WATER APPROPRIATION BY MEANS OF
WELL**

Albert Simonson

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt.

Filed this 3rd day of

November, A.D. 19 71

at 8:00 o'clock A.M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.
Albert Simonson
Rte. 2, Box 8
Culbertson, Montana 59028

Received from _____

24
T. 28 N. R. 56 E

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

STATE ENGINEER

34		
1277		

Owner Fred G. Leonard Address Gilbertson

Driller Walter & Lester Romo Address Bainville

Date Started October 10, 1939 Date Completed October 20, 1939

Location: Sec. 24 T. 28 R. 56 NW 1/4 sec. S/E

Type of well Drilled Well Equipment used Churn Drill
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other:

Casing: 0 ft. to 90 ft. Type Steel Size 6 inch

Casing: 70 ft. to 131 ft. Type Steel Size 5 inch

Casing: ft. to ft. Type Size

Perforated or Screened: Ft. 110 to ft. 131 Ft. to ft.

Type of screen or perforations Perforations made with a cutting torch

Static Water level, for non-flowing well: 85 feet from top feet

Shut-in pressure, for flowing well: lb./sq. in. 011: (date)

Pumping water level 85 feet at 4 gal. per min.

How tested: with a slush bucket

Length of test one hour and 15 min

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Depth, feet		Description of Material
From	To	
0	64	Clay
64	73	Coal
73	85	Quick sand
85	131	Finished up in coal

Doc. No.

File No. 82 Doc. No.

WATER WELL LOG

Fred G. Leonard

to 210298

The Public

STATE OF MONTANA.
County of Roosevelt,

ss.

Filed this 29th day of

December, A.D. 1961.

at 8:00 o'clock AM.

Eleanor A. Schmeltzer
County Recorder

Deputy

For D.H.

Received from Fred Leonard

Gilbertson, Montana

T. 28N R 36E 26
County Rosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

*This was evidently
revised in state
file on Dec 27, 61
287*

Owner C. R. Castorini Address Culbertson

Driller _____ Address _____

Date Started _____ Date Completed 1911

Location: Sec. 26 T. 28 R. 36 1/4 sec. NW 1/4 SW 1/4 of 26

Type of well 1749 Equipment used Hand
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other: _____

Casing: 0 ft. to 24' ft. Type Galvanized Size 20"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: 16' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

①

(over)

Log of Well

[illegible]

Doc. No. 413

File No. #13 Doc. No. _____

WATER WELL LOG

G. R. Carterline
210237
to
The Public

STATE OF MONTANA. } ss.
County of Roosevelt.

Filed this 26th day of

December, A.D. 19 61

at 11:15 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Deputy

Fee D.R.

Received from _____

G. R. Carterline

Calbertson, Montana


T. 28 N R 56 E 27
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
DEC 27 1961

WATER WELL LOG

STATE ENGINEER



Owner C.R. Castelnio Address Culbertson

Driller _____ Address _____

Date Started _____ Date Completed 1913

Location: Sec. 27 T. 28 R. 56 1/4 sec. SW 1/4, NW 1/4, NE 1/4, SW 1/4

Type of well Dug Equipment used Hand
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other: _____

Casing: 0 ft. to 12 ft. Type Galvanized Size 30"

Casing: 12 ft. to 24 ft. Type Corrugated Size 24"

Casing: 24 ft. to 26 ft. Type 11 Size 18"

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations: _____

Static Water level, for non-flowing well: 27' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test: _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

6

Log of work

Depth feet

[illegible]

File No. 44 Doc. No. _____

WATER WELL LOG

C. R. Casterline

210238

to

The Public

STATE OF MONTANA } ss.
County of Roosevelt,

Filed this 26th day of

December, A.D. 19 61

at 11:15 o'clock A.M.

Eleanor A. Schmeltzer
County Recorder

Deputy

Fee D.H.

Received from _____

C. R. Casterline

Calbertson, Montana

Form No. 18
8-60

T. 28N R. 56E ²⁷
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JUN 15 1906

		0

Water Well Log

James W. B. Betty M. Wheeler STATE ENGINEER

OWNER James W. B. Betty M. Wheeler Address Froid

Driller unknown Address _____

Date Started Approx 1906 Date Completed 1906

Location: Sec. 27 T. 28 R. 56E ³⁰⁴ Sec. 34 SE 1/4 7E 1/4

Type of well Bored Equipment used _____
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other _____

Casing: 70 ft. to _____ ft. Type wood Size 24"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____. Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 55 feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level not feet at tested gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Froid, Montana

[illegible]

Form No. 18
8-60

T. 28N R. 56E
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JUN 15 1951

Water Well Log

James W. & Betty M. Wheeler STATE ENGINEER

OWNER _____ Address Fairfield Mont.

Driller Unknown Address _____

Date Started 1950 Date Completed 1950

Location: Sec. 27 T. 28 R. 56 Sec. NE 1/4

Type of well Drilled Equipment used Drill
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☒ Irrigation ☒
Industrial ☐ Drainage ☐ Other _____

Casing: 0 ft. to 75 ft. Type Steel Size 6"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or screened: Ft. _____ to ft. _____ . Ft. _____ to ft. _____

Type of screen or perforations _____

Static water level, for non-flowing well: 67' feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level unknown feet at 15 gal. per min.

How tested: Jet Turbine

Length of test 12 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. 272 Doc. No. _____

WATER WELL LOG

**James W. Wheeler and Betty M.
Wheeler**

to 210502

The Public

STATE OF MONTANA } ss.
County of Roosevelt,

Filed this 29th day of

December, A.D. 19 61

at 1:50 o'clock P.M.

Eleanor A. Schmeltzer
County Recorder

Deputy

For D.H.

Received from _____

James W. Wheeler

Froid, Montana

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—4229

STATE WATER CONSERVATION BOARD

File No.

T

R

56

DUPLICATE

JUN 14 1966

County

Rosevelt

LOG

Bille
Butterlin
Coyte
Darlington
DekartMcDermott
McNulty
Morris
Sullivan

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER


Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner C. B. & F. Dev. Corp. Address Golden, Mont.Driller Western Drilling Co. Address Med Lake, Mont.Date of Notice of appropriation of groundwater 5-1-66Date well started 5-7-66 Date completed 5-9-66Type of well drilled Equipment used rotary
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☐ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☒ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
6 3/4"	5" I.D. steel 15 lbs per ft	0	63'	fine Cottle	62'	63'

Static Water Level for non-flowing well 16 feet.

Shut-in Pressure for Flowing Well

Pumping Water Level 30 feet
at 30 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested on compressorLength of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff)

Casing was driven into the gravel to keep
sagging sand out.U.S. 36 1/4 Sec. 22 T. 28 N. R. 56 E
Indicate location of well and place of use, if possible. Each small square represents 40 acres.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

106
Driller's License NumberLloyd H. Carlson
Driller's Signature

41136

INDEXED

File No. 638 Doc. No. 230562

**NOTICE OF COMPLETION OF GROUND-
WATER APPROPRIATION BY MEANS OF
WELL**

**C. B. & F. DEVELOPMENT CORP.
TO
THE PUBLIC**

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 7th day of

June, A.D. 1966

at 10:48 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.

Received from
C B & F Development Corp.
Gilbertson, Montana 59218

File No. _____


T. ~~28~~ R. ~~28~~

DUPLICATE MONTANA WATER RESOURCES BOARD

County ~~BOZEMAN~~**RECEIVED**STATE OF MONTANA
NOV 12 1967 ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER**Declaration of Vested Groundwater Rights**

(Under Chapter 237, Montana Session Laws, 1961)

1. PACIFIC VEGETABLE OIL CORPORATION, of Box 415 Calbertson
(Name of Appropriator) (Address) (Town)
County of Bozeman State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 28 T. 28N R. 56E

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based Industrial
Oilseed's Processing
3. Date or approximate date of earliest beneficial use; and how continuous the use has been Earliest beneficial use: Nov. 9, 1959. Continued periodic use from Nov. 9, 1959 to date, Oct. 26, 1967.
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 1,030 GPM.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
"NOT APPLICABLE"
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Vertical Turbine Pump.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater March 3, 1959.
8. The depth of water table Static water level, 14'-8".
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater Solid 22" Dia. concrete butt joint casing from 0'-0" to 48'-0". Perforated 22" Dia. concrete butt joint casing from 48'-0" to 66'-0".
Depth of well is 66'-0" but tested to 69'-0".
10. The estimated amount of groundwater withdrawn each year 60,000,000
At depth of 21'-0" from surface of
11. The log of formations encountered in the drilling of each well if available At depth of 2'-0" from surface of ground we hit top soil, thereafter, 11'-0" sandy clay & sandstone; 21'-0" clay; 25'-0" clay & some gravel; 29'-0" clay; 31'-0" gravel; 33'-0" sand; 51'-0" sandy clay; 53'-0" coal; 67'-0" sand; gravel; 69'-0" clay.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record No reference or county records known.

PACIFIC VEGETABLE OIL CORPORATION

Calbertson, Montana

Signature of Owner Carl Holander, ManagerDate Oct. 24, 1967

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

42,525

File No. 652 Doc. No. 235267

DECLARATION OF VESTED INTERESTS

Pacific Vegetable Oil Corporation

to

The Public

STATE OF MONTANA.
County of Roosevelt,

ss.

Filed this 10th day of
November, A.D. 19 67
at 8:00 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.

Pacific Vegetable Oil Corp
P. O. Box 98
Quiverston, Montana 59218

Received from

File No. _____

T. 28 N. R. 56 E

DUPLICATE


County Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
DEC 16 1963

Declaration of Vested Groundwater Rights
(Under Chapter 237, Montana Session Laws, 1961)

1. Town of Culbertson, of Culbertson Montana (Town)
(Name of Appropriator) (Address)
County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 NE 1/4 Sec. 27 T. 28 N. R. 56 E

Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based
Municipal use (drinking water)

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1952

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 750 G P M

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
Watering lawns

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
Electric Cent. Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Nov. 1952

8. The depth of water table Water bearing 65' to 80'

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
about the same as above

10. The estimated amount of groundwater withdrawn each year so far a little over a million

11. The log of formations encountered in the drilling of each well if available at clerk's off ice Culbertson Mont.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner [Signature]

Date 12-7-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

9435

File No. 387 Doc. No.

DECLARATION OF VESTED GROUNDWATER RIGHTS

Town of Culbertson, by E. F. Garbe,
clerk

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 13th day of
December, A.D. 1963

at 8:00 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.
E. F. Garbe, P.O. Box 97
Culbertson, Montana

Received from

GW 1 Doc. No. 247321
Filed for record
File No. this 23 day of June
A. D. 19 71, at 8:00
DUPLICATE o'clock 8 M.

Approved Stock Form—State Publishing Co., Helena, Montana—42329

T 28 N. R. 56 E. 29
County Rosebud

LOG

JUN 24 1971

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater
Appropriation by Means of Well
DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Robert W. Kemp & wife Wilhelmina NP58801
Judith L. Kemp wife Address Billings, Montana

Driller Ray J. Petersen Address Billings, Montana

Date of Notice of appropriation of groundwater _____

Date well started July 31 - '65 Date completed Aug 3, 1965


Type of well Drilled Equipment used Cable Tool
(Dug, Driven, bored or drilled) (Churn drill, rotary or other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☒ Owner's discretion

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Water rises to about 35' static level

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kino Size	From (Feet)	To (Feet)
<u>1 inch</u>	<u>6 inch O.D.</u>	<u>Surface</u>	<u>84</u>	<u>1/4" round hole</u>	<u>56'</u>	<u>74'</u>



Well is located on a plot of ground, 1/4 acre, bordering former highway 16'.

Specific footage measurements are on file at surveyor's office.

S.E. 1/4 of N.W. 1/4 Sec. 29, T. 28 N. R. 56 E.

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

Static Water Level for non-flowing well 55 feet.

Shut-in Pressure for Flowing Well None

Pumping Water Level 70 feet at 6 gal. per minute.

Discharge in gal. per min. of flowing well None

How Tested Drill bailer

Length of Test 1 1/2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff) Pumping system to be installed

in covered pit for

house use & on

owner's discretion

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

For house, lawn and yard area.

as per owner's discretion

84 feet
Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Ray J. Petersen
Driller's Signature

418654

File No.

T 28 North R. 56 East, NPM

DUPLICATE

County... Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
MAR 30 1962

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. School District # 17, of Culbertson
(Name of Appropriator) (Address) (Town)
County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 NE Sec. 29 T. 28 N. R. 56 E. NPM

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based Water is used to irrigate our football field during the summer months
3. Date or approximate date of earliest beneficial use; and how continuous the use has been July 1, 1961 Used only during the months of June, July and August
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 90 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof School Dist. # 17-football field. Area about 80 yards by 110 yards is being irrigated.
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal The well is located in the extreme north-west corner of the school block of land. This land comprises about 10 acres of land.
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Well drilled about June 26th, 1961 and we began using the well about the middle of July, 1961.
8. The depth of water table eighty feet (80)
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater quicksand found at about twenty feet
10. The estimated amount of groundwater withdrawn each year 180,000 gallons—our pump pumps about eight gallons of water a minute under pressure
11. The log of formations encountered in the drilling of each well if available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Hen K. Olsen Superintendent of Schools

Date March 15, 1962

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

INDEXED

File No. 697 Doc. No. 247321

**NOTICE OF COMPLETION OF GROUND-
WATER APPROPRIATION BY MEANS OF
WELL.**

Judith L. Kemp and Robert W. Kemp

To
The Public

STATE OF MONTANA. } ss.
County of Roosevelt.

Filed this 23rd day of
June, A.D. 19 72
at 8:00 o'clock A.M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown Deputy

Fee \$2.00 pd.

Received from Robert W. Kemp, D.D.S.
P.O. Box 458
Williston, North Dakota 58801

#299

DECLARATION OF VESTED GROUNDWATER

RIGHTS

211672

School District #17

to

The Public

State of Montana,
County of Roosevelt

Filed this March 19th day of 1902

at 8:00 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder.

Fee \$2.00 pd.

School District #17
Culbertson, Montana

Deputy.

GW 2

Approved Stock Form—State Publishing Co., Helena, Montana—39

File No. _____

T. 28 N. R. 5 E. 33

DUPLICATE

County RoanokeSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 10 1964


Top of Ground
(Elev. above sea level _____)Notice of Completion of Groundwater
Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

Owner Archibald Lewis Address Culbertson, Mont.Driller Western Drilling Co. Address Helena, Mont.Date of Notice of Appropriation of Groundwater 4-19-63Date well started 4-30-63 Date Completed 5-3-63Type of well drilled Equipment Used rotary
(dug, driven, bored or (Churn, drill, rotary or
drilled) other)Water Use: Domestic ☒ Municipal ☐ Other ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Stock ☒

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
7"	5" steel 6" perf.	0	50			

SE 1/4 SW Sec. 33, T. 28, R. 5 E
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 32 feet.

Shut-in Pressure for Flowing Well _____

Pumping Water Level 47 feet at 6 gal. per minute.

Discharge in gal. per min. of flowing well _____

How Tested pump Length of Test 9 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) Casing wasset to top of water sand,
water enters from below. A seal
between casing + casing is 7 ft up
from lower end of casing.
106

Driller's License Number

Lloyd H. Carlson
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

30212

~~Colbertson, Mertens~~

According to the respondent, the respondents are generally not involved in the decision-making process, but they are not completely excluded from it. They are often consulted and their views are taken into account, but the final decision is made by the respondent. The respondent also mentioned that the respondents are often consulted about the decision-making process, but they are not always involved in it. The respondent also mentioned that the respondents are often consulted about the decision-making process, but they are not always involved in it.


T. 28 N R. 56 E 36
County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JUN 28 1925

WATER WELL LOG

STATE ENGINEER



Owner William Peterson Address Culbertson,

Driller H O Park Address "

Date Started 1925 Date Completed 1925

Location: Sec. 36 T. 28 R. 56 $\frac{1}{4}$ sec. NW⁴ SW⁴

Type of well bored Equipment used _____
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other: _____

Casing: 6 ft. to 46 ft. Type wood Size 18"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of

Depth, feet		Description of Material Drilled
From	To	
0	10	Clay
10	29	Sand
29	46	Blue Clay

File No. 42 Doc. No.

1098

File No. 42 Doc. No. _____

WATER WELL LOG

William Petersen

to 210199

The Public

STATE OF MONTANA. } ss.
County of Roosevelt.

Filed this 21st day of

December, A.D. 19 61

at 2:15 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

Joe D.H. Deputy

Received from William Petersen
Culbertson, Montana

T. 28N R. 56E 36
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED

WATER WELL LOG

STATE ENGINEER

Owner William Peterson Address Culbertson

Driller _____ Address _____

Date Started _____ Date Completed 1942

Location: Sec. 36 T. 28 R. 56 $\frac{1}{4}$ sec. NE 4 SW 4

Type of well bored Equipment used _____
(Lug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other: _____

Casing: 2 ft. to 76 ft. Type wood Size 12"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____
(date)

Pumping water level: _____ feet at _____ gal. per min. _____

How tested: _____

Length of test: _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

File No. 41 Doc. No. _____

WATER WEL. LOG

William Petersen

to 210198

The Public

STATE OF MONTANA. { ss.
County of Roosevelt,

Filed this 21st day of
December, A.D. 19 61
at 2:15 o'clock P.M.

Eleanor A. Schmeltzer
County Recorder

Joe D.H. Deputy

Received from William Petersen
Calbertson, Montana

T. 28 N. R. 56 E. 36

County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

RECEIVED
JUL 29 1960

WATER WELL LOG

STATE ENGINEER

Owner William Petersen Address Culbertson

Driller Dally Address Froid

Date Started June 1960 Date Completed June 1960

Location: Sec. 36 T. 28 R. 56 1/4 sec. NW 4 SW 4

Type of well bored Equipment used Auger
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☒ Municipal ☐ Stock ☐ Irrigation ☐
Industrial ☐ Drainage ☐ Other: _____

Casing: 0 ft. to 46 ft. Type wood Size 18"

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. _____ to ft. _____ Ft. _____ to ft. _____

Type of screen or perforations _____

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ feet at _____ gal. per min.

How tested: _____

Length of test _____

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

[illegible]

File No. 40 Doc. No.

WATER NOT TREAT

HETEROGENEOUS

210191

File No. 40 Doc. No. _____

WATER WELL LOG

William Petersen

to 210197

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 21st day of

December, A.D. 19 61

at 2:15 o'clock PM.

Eleanor A. Schmeltzer

County Recorder

Fee D.H.

Deputy

Received from William Petersen
Libertson, Montana

File No. _____

T. 28 1/2 56E

DUPLICATE

County Rosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 23 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Mande M. Schuetz of Calbertson Montana
(Name of Appropriator) (Address) (Town)
County of Rosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



2. The beneficial use on which the claim is based. Stock Water & drinking water well.
3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1948 & continuous
Since.
4. The amount of groundwater claimed (in miner's inches or gallons per minute). 10 gallons per minute
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof.

1/4 Sec. T 28 1/2 56E not used for irrigation.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Pressure Pump.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1948
8. The depth of water table. 40 feet
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. I don't intend to dig any other well.
10. The estimated amount of groundwater withdrawn each year. 10,000 gallons.
11. The log of formations encountered in the drilling of each well if available. log not available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. No other Records.

Signature of Owner

Mande M. Schuetz

Date

12-17-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

11916

File No. 411 Doc. No. 220122

**DECLARATION OF VESTED
CONFEDEMAN RIGHTS**

Maude M. Schmetzer

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 15th day of
December, A.D. 1963

at 12:30 o'clock P.M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown Deputy

Fee \$2.00 pd.

Received from _____

Maude M. Schmetzer

Box 84

Colbertson, Montana 59218

GROUNDWATER INDEX

Page 1 / of 1

County Kanawha Twp. 28 Rge. 57

[illegible]

File No.

T. 28N R. 57 E

DUPLICATE

County. Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 19 1963

STATE ENGINEER

I, Ivan Morrow, of Colbertson,
(Name of Appropriator) (Address) (Town)
County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Indicate point of appropriation
and place of use, if possible. Each
small square represents 10 acres.

2. The beneficial use on which the claim is based irrigation
garden
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1960
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 3 gallons
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
1/4 AC. 8 T14N R. 57E
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
electric pump
7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1915
8. The depth of water table 130 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater
10. The estimated amount of groundwater withdrawn each year 365,000 gallons
11. The log of formations encountered in the drilling of each well if available
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner

Ivan MorrowDate 12, 13, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

10511

File No. 402 Doc. No. 220077

**DECLARATION OF VESTED GROUNDWATER
RIGHTS**

Ivan Morrow

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 18th day of

December, A.D. 19 63

at 8:00 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.
Ivan Morrow
Culbertson, Montana

Received from _____

File No.

DUPLICATE


T 287th 57 East
County RooseveltSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEERRECEIVED
JAN 25 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. Fredrick George Rose of Fluid
(Name of Appropriator) (Address) (Town)
County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



S E 1/4 Sec. 8 T. 28 N. 5. 7

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based stock water
- house use.

3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been Bored in 1927 used
full 1950

4. The amount of groundwater claimed (in miner's inches or gallons
per minute) 5 gal per minute

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
none.

6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal
pump - wind mill

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater unknown

8. The depth of water table 80 ft.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater.

Size of hole 18 in - 80 ft deep.

10. The estimated amount of groundwater withdrawn each year none.

11. The log of formations encountered in the drilling of each well if available Clay - Gravel.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record.

Signature of Owner

Fred RoseDate Jan 25 - 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology, and Quadruplicate for the Appropriator.

3420

File No. 338

Doc. No.

DECLARATION OF INTENT TO OBTAIN
CITIZENSHIP

Fred Ross

215725

to

The Public

STATE OF MONTANA.
County of Roosevelt,

ss.

Filed this 29th day of

January, A.D. 1963

at 1:45 o'clock P. M.

Eleanor A. Schmeltzer

County Recorder

Thelma J. Miller

Deputy

Fee \$2.00 pd.

Received from

Fred Ross

Proid, Montana

G

Approved Stock Form—State Publishing Co., Helena, Montana—38687

File No. _____

T. 28 R. 56S

DUPLICATE

County ROOSEVELT

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 10 1963

STATE ENGINEER

1. ETHEL M. WILLY of CULBERTSON
(Name of Appropriator) (Address) (Town)
County of ROOSEVELT State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



E/2 19 57
Sec 22 T 28 R 56S

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based.
NATURAL SPRINGS FOR STOCK WATER

3. Date or approximate date of earliest beneficial use; and how continuous the use has been BY THE WIFE SINCE 1940
NEVER DROPPED

4. The amount of groundwater claimed (in miner's inches or gallons per minute) NEVER MEASURED NEVER DROPPED

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
NO

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.
NATURAL SPRINGS

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. NATURAL SPRINGS

8. The depth of water table. T.O.P. OF GROUND

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. FREE FLOWING

10. The estimated amount of groundwater withdrawn each year. RUNS YEAR AROUND

11. The log of formations encountered in the drilling of each well if available.
NONE

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner _____

Date _____

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

2414

File No. 380 Doc. No. 219916

**DECLARATION OF VENDED
GROUNDWATER RIGHTS**

Ethel M. Wix

to

The Public


STATE OF MONTANA,
County of Roosevelt, ss.

Filed this 9th day of
December, A.D. 1963
at 8:00 o'clock A.M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown Deputy
Fee \$2.00 pd.

Received from Ed Wix, Jr.
Calbertson, Montana



24th Dec 1963

WATER RIGHTS FOR STOCK WATERS

WATER RIGHTS FOR STOCK WATERS

WATER RIGHTS FOR STOCK WATERS

40

GW

Approved Stock Form—State Publishing Co., Helena, Montana—41921

File No. _____

T. 28 R. 57

DUPLICATE

County ROOSEVELT

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


RECEIVED
DEC 10 1963

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. STOCK WATER WELL, of CARBERTSON
(Name of Appropriator) (Address) (Town)
County of ROOSEVELT State of MONTANA
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SE 1/4 Sec. 14, T. 28, R. 57
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based STOCK WATER WELL
3. Date or approximate date of earliest beneficial use; and how continuous the use has been JULY 1958 1959 1960
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 500 GALLONS PER MINUTE
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof NO
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal PUMP MOTOR

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater JULY 1958
8. The depth of water table 6.5 FEET
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater DRILLED 6 IN. CASING 7.7 FEET DEPTH
10. The estimated amount of groundwater withdrawn each year WATERED 110 HEAD STOCK
11. The log of formations encountered in the drilling of each well if available 2.2 FEET CLAY 43 FEET QUICK SAND 12 FEET COARSE GRAVEL
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Edith M. Giff

Date NOV 30 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

84.2

File No. 378 Doc. No. 219914

DECLARATION OF VESTED GROUNDWATER RIGHTS

Ethel M. Wix

to

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 9th day of

December, A.D. 1963

at 8:00 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 pd.
Theo Wix, Jr.,
Culbertson, Montana

Received from _____

GW 3

File No.

DUPLICATE

T. 28 N. R. 57 E.

County Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

RECEIVED
APR 30 1962

Notice of Completion of Groundwater Appropriation Without Well

STATE ENGINEER

(Under Chapter 237 Montana Session Laws, 1961)

No. 1 - Aug. 1945
No. 2 - Aug. 1945
No. 3 - June, 1946

Date of Appropriation of Groundwater

Owner Edna Swindle Address Culbertson, Montana

Contractor (if any)

Address of Contractor

Date Started..... Date Completed 1 - Aug. 1945
2 - Aug. 1945
3 - June, 1946

Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to

water when applicable. No. 1 - Dam 20' high, 200' long, depth of water 15'

No. 2 - Dam 12' high, 200' long, depth of water 11'.

No. 3 - Dam 8' high, 150' long, depth of water 7'.

Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

No. 1 - 15 acre feet; No. 2 - all water in Shell Creek to flood irrigate 25 acres in NE1/4 SW1/4, Sec. 21, Twp. 28 N., Rge. 57 E.; No. 3 - all water in Shell Creek to irrigate 20 acres in NE1/4 SE1/4 of Sec. 21, Twp. 28 N., Rge. 57 E.
All above dams used continually and lands irrigated since date built.

Signature of Owner Edna Swindle


Date April 26, 1962

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.



..... 1/4 Sec. T. R.
Indicate point of appropriation and place of use, if possible.

File No. 392 Doc. No. _____

**NOTICE OF COMPLETION OF GROUND-
WATER APPROPRIATION WITHOUT WELL.**

Elna Swindle

to 212150

The Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 27th day of

April, A.D. 1962

at 8:00 o'clock A.M.

Eleanor A. Schmeltzer

County Recorder

Marjie M. Stennes

Fee \$2.00 pd. Deputy

**Thomas Dignan
Attorneys at law
Glasgow, Montana**

Received from _____

[illegible]

File No. 185 Doc. No.

Water Well Log

Alfred M. Hanson

to 210412

THE Public

STATE OF MONTANA. } ss.
County of Roosevelt,

Filed this 29th day of

December, A.D. 1961

at 2:45 o'clock P. M.

Eleanor A. Schmeltzer
County Recorder

For D.H. Deputy

Received from W. C. Hanson
Wolf Point, Montana

WOLF POINT, MONTANA

[illegible]

File No. _____

DUPLICATE

T. 28 N 57 E
County Roosevelt

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

RECEIVED
DEC 18 1963

STATE ENGINEER

1. James Robert Traeger, of Box 325 Culbertson
(Name of Appropriator) (Address) (Town)
County of Roosevelt State of Montana
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SWNE 1/4 of Sec. 25, T. 28, R. 57

Indicate point of appropriation
and place of use, if possible.
Each small square represents 10
acres.

2. The beneficial use on which the claim is based.....
Irrigation

3. Date or approximate date of earliest beneficial use; and how con-
tinuous the use has been..... Sept 10, 1962 and also
used this season of 1963

4. The amount of groundwater claimed (in miner's inches or gallons
per minute)..... 1500 gallons per minute

5. If used for irrigation, give the acreage and description of the lands
to which water has been applied and name of the owner thereof
SWNE 1/4 of Sec. 25 - 28 - 57

James Robert Traeger & Lula R. Traeger

6. The means of withdrawing such water from the ground and the
location of each well or other means of withdrawal.....
Centrifugal Pump

7. The date of commencement and completion of the construction of the well, wells, or other works for with-
drawal of groundwater.....
Started July 1962 and completed Sept 10, 1962.

8. The depth of water table..... 55 Feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other
works for the withdrawal of groundwater..... None

10. The estimated amount of groundwater withdrawn each year..... 51,840,000 Gallons

11. The log of formations encountered in the drilling of each well if available.....
0 - 90 ft. - Clay and Shale 90 - 148 ft. - Sand and Gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including
reference to book and page of any county record..... None

Signature of Owner.....

Date 12-15-63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is
located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau
of Mines and Geology, and Quadruplicate for the Appropriator.

4876

File No. 388..... Doc. No. 220050

**DECLARATION OF VESTED GROUNDWATER
RIGHTS**

James Robert Traeger

to

The Public

STATE OF MONTANA.
County of Roosevelt,

} ss.

Filed this 16th day of

December, A.D. 1963.

at 9:50 o'clock A. M.

Eleanor A. Schmeltzer
County Recorder

Margaret M. Brown
Deputy

Fee \$2.00 - pd

Received from Robert Traeger

Calbertson, Montana

RECEIVED

APR 21 1958

STATE ENGINEER

MONTANA BUREAU OF MINES AND GEOLOGY
Butte, Montana

WATER WELL LOG

Owner Lula B. Traeger Address Culbertson

Driller Andy Mocko Address Sidney, Mont.

Date Started Mar. 26 Date Completed Mar. 29 - 58

Location: Sec NW 1/4 SW 1/4 T. 28 R. 57 1/4 sec. 25

Type of well Drilled Equipment used Chain
(Dug, driven, bored, or drilled) (Churn drill, rotary, other)

Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐

Industrial ☐ Drainage ☐ Other: _____

Casing: 114 ft. to _____ ft. Type Q. D. Size 6 in.

Casing: _____ ft. to _____ ft. Type _____ Size _____

Casing: _____ ft. to _____ ft. Type _____ Size _____

Perforated or Screened: Ft. 95 to ft. 114 Ft. _____ to ft. _____

Type of screen or perforations: _____

Static Water level, for non-flowing well: _____ feet.

Shut-in pressure, for flowing well: _____ lb./sq. in. on: _____ (date)

Pumping water level _____ 20 feet at _____ 8 gal. per min.

How tested: Bailing

Length of test Two Hours

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)



(over)

[illegible]

From

To

Description of Material Drilled

6

15

Yellow Clay

15

80

Blue Clay

80

26

Sand Gravel & Clay Mixed

86

104

Blue Clay

104

114

Blue Sand & Water

GW.2

RECORDED

Approved Stock Form—State Publishing Co., Helena, Montana—45642

File No.

T. 28 N. R. 57 E

DUPLICATE

County, Rosevelt

LOG

MONTANA DEPARTMENT OF NATURAL
RESOURCES AND CONSERVATIONSTATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Top of Ground
(Elev. about sea level) About 1915

to 5 ft. Clay Topsoil
to 11 ft. gravel, rocks & yellow clay
to 28 ft. yellow clay
to 39 ft. dark gray clay
to 62 ft. coarse gray sand
to 68 ft. sandy yellow clay
to 72 ft. sandy gray clay,
a little water here,
to 82 ft. hard gray clay
to 84 ft. very hard coal,
to 85 ft. gold gray sand
with lots of water here,

End of well:

Notice of Completion of Groundwater Appropriation by Means of Well DEVELOPED AFTER JANUARY 1, 1962

(Under Chapter 237, Montana Session Laws, 1961)

Owner Robert Traeger Address Culbertson, MontDriller Ray J. Petersen Address Sidney, Mont

Date of Notice of appropriation of groundwater.....


Date well started Oct 5-'68 Date completed Dec 5-'68Type of well Drilled Equipment used Cable Tool
(Dug, driven, bored or drilled) (Churn drill, rotary or other)Water use: Domestic ☐ Municipal ☐ Stock ☒ Irrigation ☐
Industrial ☐ Drainage ☐ Other ☐

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	EXPLORATIONS		
				Kind Size	From (Feet)	To (Feet)
7 inch	6" O.D. surface OK. 10:50# per ft.	85		none		

Doc. No. 249225

Filed for record

this 8th day of MarchA. D. 19 68, at 2:20o'clock P.M.

S.W. Corner of the

N.W. 1/4 of the S.W. 1/4 Sec. 25, T. 28 N., R. 57 E.

Indicate location of well and place of use, if possible. Each small square represents 40 acres.

2 ft. pea gravel in bottom.

Static Water Level for non-flowing well 34 feet.Shut-in Pressure for Flowing Well nonePumping Water Level 40 feetat 5 gal. per minute.

Discharge in gal. per min. of flowing well

How Tested Drill TaperLength of Test 1 1/2 hrs.Remarks: (Gravel packing, cementing, packers, type of shut-off) Casing inmounted at ground levelfor support andsanitation2 ft. pea gravel in bottom.

(Continue on reverse side)

USE—If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e.: Lot, Block and Addition).

not so used

85 feet
Show exact depth of bottom.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Ray J. Petersen
Driller's Signature.

59034